

1/16



FIG. 1B



FIG. 1A

2/16



FIG. 1C



FIG. 2A

3/16




FIG. 2B



FIG. 2C

Applicant(s): Vacanti et al.
ISOLATION OF SPORE-LIKE CELLS FROM TISSUES
EXPOSED TO EXTREME CONDITIONS



4/16



FIG. 2D

ISOLATION OF SPORE-LIKE CELLS FROM TISSUES
EXPOSED TO EXTREME CONDITIONS

5/16





FIG. 3A




FIG. 3B




FIG. 3C

6/16




FIG. 4A




FIG. 4B




FIG. 4C



7/16




FIG. 6A



FIG. 6B




FIG. 5A




FIG. 5B

8/16




FIG. 7A




FIG. 7B



9/16




FIG. 7C



FIG. 7D



10/16




FIG. 7E

11/16




FIG. 8A



FIG. 8B




FIG. 8C



12/16




FIG. 8D




FIG. 8E



13/16



FIG. 9B



FIG. 9D




FIG. 9A




FIG. 9C



14/16




FIG. 10A




FIG. 10B




FIG. 10C

ISOLATION OF SPORE-LIKE CELLS FROM TISSUES
EXPOSED TO EXTREME CONDITIONS

15/16




FIG. 11



FIG. 12A



FIG. 12B



16/16




FIG. 13